




ALL OVER WELLNESS

DANSANI SHOWER

Dansani Match & XXL shower enclosures will meet your needs for a quality solution, in either large or small bathrooms.






«

MATCH

Create a shower solution that fits your bathroom perfectly, no matter its size and shape. You can easily find a combination from 6 different types of doors and fixed shower panels.







«

XXL

Large, user-friendly sliding door solution with a functional design. Perfect for recessed showers, but can also be combined with fixed shower panels.





DANSANI MATCH

06 INSPIRATION

26 DESIGNING A SMALL BATHROOM

28 PRICE LIST

34 PRODUCT INFORMATION

36 DIMENSIONS

COMBINE FOR AN ENCLOSURE

THE WAY YOU WANT IT

The Match shower series consists of 6 basic models along with the practical Tower storage unit, which can be combined to form the exact shower solution to suit your bathroom. All models are supplied with profiles in black or satin, and they are reversible, so you do not need to differentiate between a right or left-handed model. All Match models except C and H, can be combined with the smart Tower unit. Tower avoids clutter in the shower area and integrates seamlessly with the panel or door for a complete solution.

All models are 200cm high.



A - HINGED DOOR 70 / 80 / 90 / 100cm Can be combined with Tower Selected models also available with frosted glass




B - BIFOLD DOOR 70 / 80 / 90 / 100cm Can be combined with Tower




C - HINGED DOOR WITH IN-LINE PANEL90 / 100cm



D - FIXED SHOWER PANEL
70 / 80 / 90 / 100 / 120 / 140cm
Can be combined with Tower
Selected models also
available with frosted glass



E - QUADRANT HINGED DOOR 80 / 90 / 100cm Can be combined with Tower Selected models also available with frosted glass



H - BATH PANEL WITH HINGED DOOR 100cm

TIPS FOR SMALL BATHROOMS

Match is the perfect choice for the smaller bathroom. Save space by pushing closed or folding away the doors when not in use. Or select a fixed shower enclosure that you can install fixtures right up to. Get more interior design inspiration for small bathrooms on p. 26.

>>

HINGED DOOR AND FIXED SHOWER PANEL WITH TOWER

Classic combination of a fixed shower panel with the practical Tower storage unit with a hinged door. The practical solution here is that you can place furniture closer to the fixed shower panel, and use the space for a wider basin or an extra cabinet.







SIMPLE &

FLEXIBLE

When the enclosure is not in use the doors simply fold back into the corner freeing up valuable space in small rooms. Here the Tower storage unit has been added and the clever shelving system avoids clutter in the shower area.





FURNITURE NEXT TO YOUR

CORNER SHOWER

Make use of the space right next to your corner shower by choosing a hinged door with an in-line panel. The short fixed side panel allows furniture to be fitted close to the corner shower. When you are not using the shower, the doors can be pushed in, to give you more room.







EVERYONE HATES BATTLING

WITH SCALE AND GRIME

All glass in the Dansani shower series is given a hard-wearing and environment-friendly EasyCare treatment, which prevents scale and grime buildup – even after being wiped 30,000 times. Simply wipe the glass over with a soft cloth after use, and your glass will look great for many years to come.

EasyCare is an environment-friendly German product, and certified by the independent SGS Institut Fresenius laboratory in accordance with OECD Guideline 2009.

GOODBYE TO

SHOWER CURTAINS

This elegant bath screen means no more shower curtains, and it creates a far more spacious feeling in the room. The glass screen can fold in towards the shower, so it takes up the least possible space.

Supplied with wall support.





BIFOLD DOORS ARE

SPACE SAVING

A smart solution where both doors can be folded in when you are not using the shower enclosure, so they take up as little space as possible in the room. The bifold door can also be combined with other doors and fixed shower panels.







\$

On the inside of the bifold door the hinge is concealed and flush with the glass panel. Beautiful, practical design in action.

SOFT

CURVES

Discover a shower solution that combines simplicity and style with two elegant quadrant doors. Our design allows the doors to open both inwards and outwards, creating extra space in the room when the shower enclosure is not in use.



¥

The simple profiles conceal a rise and fall hinge, as well as an adjustment to ensure the doors work perfectly every time.

A cover cap finishes the overall look.







A SMART

RECESSED SHOWER

Choose from 3 different models according to your requirements, all of which of course have adjustment to suit the width of your opening. Adjustment is possible on both sides. For example, create extra width by adding wall profile 1 to the open side and at the same time adding an extension profile to the hinge side of the door. Get the full overview of the options and exact solutions on page 37.





«

HINGED DOOR WITH IN-LINE PANEL

A smart recessed shower lets you place furniture closer to the shower while making optimal use of the space.





« ¥

BIFOLD DOOR

A practical solution in a small bathroom, as the door opens inwards, and keeps the water in the shower area.





ANOTHER TYPE OF

RECESS

A very elegant solution for a larger recess combining a door and fixed panel. The Tower storage unit also helps keep order in the shower area by adding practical storage space for shampoo, soap and whatever else you need in your bathroom.



new look for your shower enclosure.



ELEGANT & COMPLETELY

FREE

A fixed shower panel is the perfect choice for those looking to create a minimalist solution. With different support options you can choose the solution that aesthetically appeals to you. For example, a telescopic rail is quick and simple to set up.

While the shorter support arm gives a cleaner look.

All solutions are equally sound.









× »

Fixed shower panels are supplied with a floor profile which keeps the water inside, and a floor bracket that gives a light, floating effect. You choose which solution you want to use.





PLENTY OF SPACE WITH A

WALK-IN SHOWER

For plenty of space and room to move around, this walk in wetroom enclosure is perfect providing an elegant solution with a very open minimalist look. With two telescopic support rails and a connector kit the solution is secure as well as attractive.



MIX & MATCH YOUR OWN

SHOWER ENCLOSURE

You can mix & match all of the basic models – see an overview here.















See page 16





See page 13








B + 1See page 19







D + D + 4 (2 PCS.) + 5 See page 24




FURNISHING TIPS FOR

SMALL BATHROOMS


Here you can find inspiration for making optimal use of space, if you have a very small or narrow bathroom.

Many Match models allow you to place furniture closer to your shower solution, so there is room for a wider basin or an extra cabinet. The code under each solution refers to the door model and its width, and we have incorporated the Tower storage unit where possible - it is really important to be organised when space is limited.


120 x 160 CM








B81 + B81 + Tower




C91




E81 + Tower


120 x 180 CM




A71



B91 + A81 + Tower



C101




D71




E81 + E81

150 x 200 CM




A81 + Tower + A91




B81 + D71



C91 + D71




D71 + D71




E81 + Tower + E81

RECESS 90CM


220 x 150 CM



A91 + Tower



B91



MATCH ADJUSTABLE PIVOT HINGE - PROBLEM SOLVER

It is also possible to install shower enclosures even when the shower doors don't line up or the walls are off square as shown in solution E81+E81. The pivot hinge can be adjusted so the doors then close to this position.

See fitting instructions.

ADD THE

FINAL TOUCHES

An exclusive range of accessories that make daily life with Dansani Match an even greater pleasure. Everything is thought out down to the tiniest detail and designed for optimal use.



SQUEEGEE IN SILICONE

Contemporary shower squeegee in a dark grey silicone. The slightly textured surface provides a firm grip. The squeegee comes with a practical hook that hangs on the edge of the glass.

Dark grey silicone

Art. no.: 1600162 **34.-**



MINIMALIST SQUEEGEE

Elegant chrome squeegee. The strict and simple design is adapted to Match. The squeegee can hang directly on the edge of the glass using the included silicone hook.

Chrome

Art. no.: 1600012 **34.-**

Replacement rubber

Art. no.: 1600017 **10.-**



ERGONOMIC SQUEEGEE

No more water drops that turn into unsightly limescale deposits. Smart shower squeegee that fits your hand well and hangs elegantly in the accompanying bracket.

Stainless steel

Art. no.: 2400346 **34.-**

Replacement rubber

Art. no.: 2400500 **10.-**



SHOWER CORNER

Smart stainless steel shelf. The shelf is built into the corner of the shower cubicle without the use of screws, but can also be retro fitted in an existing shower enclosure.

Chrome

Art. no.: 2400600



TOWEL HOOK IN SILICONE

Set with two hooks. The hook can hang on the edge of the glass, on the inside or outside, and is practical for towels, brushes, sponges etc. Available in light or dark grey.

Light grey

69.-

Art. no.: 1600013 12.-


Dark grey

Art. no.: 1600163 **12.-**



MATCH BASE MODELS

A - HINGED DOOR



Material/Profile colour
Clear glass/Satin
Clear glass/Matt black
Frosted glass/Satin
Height 200cm
CORNER SOLUTION Set, min/max adjustment

RECESS SOLUTION - SEE ACCESSORIES

Door with seal 9, min/max adjustment Door with wall profile 8, min/max adjustment Door with wall profile 1, min/max adjustment

Door, min/max adjustment

, , , , , ,					
	Art. no.	Price £		Art. no.	Price £
	Art. IIO.	FIICE L		AIT. IIO.	FIICE L
	A71-01	458		A81-01	458
	A71-03	458		A81-03	458
	A71-02	553		A81-02	553
	69-71cm			79-81cm	
	67-69cm			77-79cm	
	67,5-69,5cm			77,5-79,5cm	
	69,5-71,5cm			79,5-81,5cm	
	71,5-75,5cm			81,5-85,5cm	
е	found after pro	duct info	rma	ation.	

90CM			СМ	
Art. no.	Price £	_	Art. no.	Price £
A91-01	458	A	101-01	458
A91-03	458	A	101-03	458
N91-02	553	-		-
9-91cm		9	9-101cm	
87-89cm		9	7-99cm	
37,5-89,5cm		9	7,5-99,5cn	n
89,5-91,5cm		9	9,5-101,5c	m
91,5-95,5cm		1	01,5-105,5	cm

General size guide – exact measurements can be found after product information. On request satin profile models are available in sizes that are 2cm smaller

TOWER FOR MODEL A - HINGED DOOR



Colour	
Satin	
Matt black	


Art. no.	Price £	Art. no.	Price £
1600570	249	1600570	249
1603570	249	1603570	249

Art. no.	Price £
1600570	249
1603570	249

Art. no.	Price £
1600570	249
1603570	249

Reversible storage unit with 5 removable shelves. NOTE: simply choose your door $10 \, \mathrm{cm}$ smaller than your installation to create space for Tower.

B - BIFOLD DOOR (180°)



	Material/Profile colour
	Clear glass/Satin
	Clear glass/Matt black
	Height 200cm
ث	CORNER SOLUTION
IJ	Set, min/max adjustment
≥	RECESS SOLUTION - SEE ACCESSORIES
	Door, min/max adjustment
	Door with seal 9, min/max adjustment
	Door with wall profile 8, min/max adjustment
Ì	Door with wall profile 1, min/max adjustment
JI	Door with watt profite 1, min/max adjustment

ALC. IIO.	FIICE L	ALC. IIO.	FIICE
B71-01	553	B81-01	553
B71-03	553	B81-03	553
69-71cm		79-81cm	
67-69cm		77-79cm	
67,5-69,5cm		77,5-79,5cm	
69,5-71,5cm		79,5-81,5cm	
71,5-75,5cm		81,5-85,5cm	

Art. no.	Price £	Art. no.	Price £
B91-01	553	B101-01	553
B91-03	553	B101-03	553
89-91cm		99-101cm	
87-89cm		97-99cm	
87,5-89,5cm		97,5-99,5cm	
89,5-91,5cm		99,5-101,5cm	
91,5-95,5cm		101,5-105,5cr	n

General size guide – exact measurements can be found after product information. On request satin profile models are available in sizes that are 2cm smaller

TOWER FOR MODEL B - BIFOLD DOOR



Colour	
Satin	
Matt black	

Art. no.	Price £
1600570	249
1603570	249

Art. no.	Price £
1600570	249
1603570	249


Art. no.	Price £
1600570	249
1603570	249

Art. no.	Price £
1600570	249
1603570	249

Reversible storage unit with 5 removable shelves.

NOTE: simply choose your door 10cm smaller than your installation to create space for Tower.

C - HINGED DOOR (180°) WITH IN-LINE PANEL AND WALL SUPPORT



Material/Profile colour	Art. no.	Price £	Art. no.	Price £
Clear glass/Satin	-	-	-	-
Height 200cm				
CORNER SOLUTION				
Set, min/max adjustment	-		=	
RECESS SOLUTION - SEE ACCESSORIES				
Door, min/max adjustment	-		-	
Door with seal 9, min/max adjustment	-		-	
Door with wall profile 8, min/max adjustment	-		=	
Door with wall profile 1, min/max adjustment	-		-	

_	ALC. NO.	FIICE L	ALC. NO.	FIICE L
-	C91-01	458	C101-01	458
	89-91cm		99-101cm	
	87-89cm		97-99cm	
	87,5-89,5cm		97,5-99,5cm	
	89,5-91,5cm		99,5-101,5cm	
	91,5-95,5cm		101,5-105,5cn	n

General size guide – exact measurements can be found after product information. On request satin profile models are available in sizes that are 2cm smaller

ACCESSORIES

WALL PROFILE FOR RECESS 1



Description	Colour	Art. no.	Price £
Incl magnetic seal, adjustable	Satin	1600501	188
Incl magnetic seal, adjustable	Matt black	1603501	188

WALL PROFILE FOR RECESS 8



Description	Colour	Art. no.	Price E
Incl magnetic seal, slim profile, without adjustment	Satin	1600535	95
Incl magnetic seal, slim profile, without adjustment	Matt black	1603535	95

SEAL 9



Description	Colour	Art. no.	Price £
D-profile PVC Sealing strip, without adjustment	Clear	1600639	24
D-profile PVC Sealing strip, without adjustment	Matt black	1603639	24



MODEL 1 – WALL PROFILE FOR RECESS FOR DOOR A, B AND C

Wall profile 1 for recess for use with door A, B and C and allows you to add 20mm. Combined with the hinge profile, which also can add 20mm, this gives it a total adjustment of 40mm in width.

If you need additional width you can add an extension profile - see accessories.



MODEL 8 – WALL PROFILE FOR RECESS FOR DOOR A, B AND C

Wall profile 8 for recess for use with door A, B and C. To be used where less adjustment is required for a neater look. Please note that using this profile means there is adjustment of only 20mm on the hinged door.



MODEL 9 – SEAL FOR DOOR A, B AND C

Seal 9 for use with door A, B or C. Where a wall profile is not required for a recess on the wall opposite the hinge, to give a light, elegant installation. Note that with the narrower installation, there is only 20mm adjustment on the door on the hinge side.



MATCH BASE MODELS

		70CM		80CM		90CM		100CM		120CM		140CM	
- FIXED SHOWER B: Always add sup	PANEL WITH FLOOR PROFIL	LE AND BRAG	CKET										
	Material/Profile colour	Art. no.	Price £	Art. no.	Price £	Art. no.	Price £	Art. no.	Price £	Art. no.	Price £	Art. no.	Price £
	Clear glass/Satin	D71-01	458	D81-01	458	D91-01	458	D101-01	458	D121-01	644	D141-01	644
₹\$\$	Clear glass/Matt black	D71-03	458	D81-03	458	D91-03	458	D101-03	458	-	-	-	-
	Frosted glass/Satin	D71-02	553	D81-02	553	D91-02	553	D101-02	553	-	-	-	-
97.5	Height 197,5cm												
	Panel, min/max adjustment	67-69cm		77-79cm		87-89cm		97-99cm		117-119cm	ı	137-139cm	1

General size guide – exact measurements can be found after product information. On request satin profile models are available in sizes that are 2cm smaller

SUPPORT FOR FIXED SHOWER PANEL

	Colour	Art. no.	Price £										
	2 Wall support 30cm (fixed shower panel)												
	Satin	1600502	73	-	-	-	-	-	-	-	-	-	-
	Matt black	1603502	73	-	-	-	-	-	-	-	-	-	-
	3 Wall support 60cm (fixed shower panel)												
	Satin	-	-	1600508	73	1600508	73	1600508	73	1600508	73	1600508	73
	Matt black	-	-	1603508	73	1603508	73	1603508	73	1603508	73	1603508	73
	4 Telescopic support rail 60-100cm (fixed shower panel)												
`	Satin	1600503	73	1600503	73	1600503	73	1600503	73	1600503	73	1600503	73
	Matt black	1603503	73	1603503	73	1603503	73	1603503	73	1603503	73	1603503	73
&	5 Connector kit til model D+D+4 (2 pcs.)												
	Satin	1600504	20	1600504	20	1600504	20	1600504	20	1600504	20	1600504	20
	Matt black	1603504	20	1603504	20	1603504	20	1603504	20	1603504	20	1603504	20
	6 Support rail 120cm for model D (fixed shower panel). Can be cut to suit if necessary												
	Satin	1600527	73	1600527	73	1600527	73	1600527	73	1600527	73	1600527	73
	Matt black	1603527	73	1603527	73	1603527	73	1603527	73	1603527	73	1603527	73
	7 Vertical ceiling support rail 100cm for model D (fixed shower panel). Can be cut to suit if necessary												
	Satin	1600528	73	1600528	73	1600528	73	1600528	73	1600528	73	1600528	73
	Matt black	1603528	73	1603528	73	1603528	73	1603528	73	1603528	73	1603528	73

TOWER FOR MODEL D - FIXED SHOWER PANEL




Colour	
Satin	
Matt black	

Art. no.	Price £										
1600577	249	1600577	249	1600577	249	1600577	249	1600577	249	1600577	249
1603577	249	1603577	249	1603577	249	1603577	249	1603577	249	1603577	249

Reversible storage unit with 5 removable shelves.


NOTE: simply choose your door 10cm smaller than your installation to create space for Tower.

SUPPORT FOR FIXED SHOWER PANEL



MATCH BASE MODELS

E - QUADRANT HING



ED DOOR (180°)		
	Material/Profile colour	
	Clear glass/Satin	
	Clear glass/Matt black	
	Frosted glass/Satin	
	Height 200cm	
ì	CORNER SOLUTION	
J	Set, min/max adjustment	
	INDIVIDUAL SCREEN	

800	СМ
Art. no.	Price £
E81-01	458
E81-03	458
-	-
70.04	
79-81cm	
62-64cm	
be found after pro	

90CM		
Art. no.		Price £
E91-01		458
E91-03		458
E91-02		553
89-91cm		
72-74cm		

100CM	
Art. no.	Price £
E101-01	458
-	-
-	-
99-101cm	
82-84cm	

General size guide – exact measurements can be found after product info On request satin profile models are available in sizes that are 2cm smaller

TOWER FOR MODEL E - QUADRANT HINGED DOOR



Colour	
Satin	
Matt black	

Door, min/max adjustment


Art. no.	Price £
1600570	249
1603570	249

Art. no.	Price £
1600570	249
1603570	249

Art. no.	Price £
1600570	249
1603570	249

Reversible storage unit with 5 removable shelves. NOTE: simply choose your door $10\,\mathrm{cm}$ smaller than your installation to create space for Tower.

H - BATH PANEL WITH HINGED DOOR (125°)



	Material/Profile colour	
	Clear glass/Satin	
	Height 155cm	
	Min/max adjustment	

Art. no.	Price £
-	-
ha faund after pre	

rt. no.	Price £	Art. no.	Price
	-	H100-01	458.
		95-97cm	

 $\label{eq:General size guide - exact measurements can be found after product information.$

HANDLES

STANDARD HANDLE (INCLUDED WITH ALL DOORS)



Colour/Material
Chrome
Matt black
Plastic

Art. no.	Price £
1600640	28
1603640	28

2,5CM

FLOW



Colour/Material	
Chrome	
Matt black	
Zinc	

Art. no.	Price £
1600641	28
1603641	28

ACCESSORIES - INCLUDED AS STANDARD

PVC SEAL, STANDARD (18MM)



Description	Colour	Art. no.	Price £
For straight doors (1 pcs.)	Clear	1600565	24
For straight doors (1 pcs.)	Matt black	1603565	24
For curved doors model E (2 pcs.)	Clear	1600566	49
For curved doors model E (2 pcs.)	Matt black	1603566	49

Cut to suit the relevant enclosure on site

MAGNETIC SEAL



Description	Colour	Art. no.	Price £
For A/B/C/E (1 pcs.)	Clear	1600606	24
For A/B/C/E (1 pcs.)	Matt black	1603606	24
For D fixed shower panel (1 pcs.)	Clear	1600622	24
For D fixed shower panel (1 pcs.)	Matt black	1603622	24

ACCESSORIES - EXTRA

FLOOR PROFILE SET FOR DOORS

Provides a power shower proof solution (CE-certified)



Description	Doors	Colour	Art. no.	Price £
For square enclosures A, B, C	2 doors	Chrome	1600550	73
For square enclosures A, B, C	2 doors	Matt black	1603550	73
For recess applications 1+A/B/C	1 door	Chrome	1600551	73
For recess applications 1+A/B/C	1 door	Matt black	1603551	73
For fixed shower panels D+A/B/C	1 door	Chrome	1600552	73
For fixed shower panels D+A/B/C	1 door	Matt black	1603552	73
For quadrant enclosure E	2 doors	Chrome	1600553	73
For quadrant enclosure E	2 doors	Matt black	1603553	73



Cut to suit the relevant enclosure on site.

Additional floor profile can be purchased to be installed on the outside of the enclosure for optimal water proofing and enables CE approval in accordance with EN 14428:2015.

This profile can also be easily retro fitted.

PVC SEAL, TALL (28MM)

For use on floors with steep fall towards the drain



Description	Colour	Art. no.	Price £
For straight doors (2 pcs. set)	Clear	1600560	49
For straight doors (2 pcs. set)	Matt black	1603560	49
For quadrant doors (2 pcs. set)	Clear	1600561	49
For quadrant doors (2 pcs. set)	Matt black	1603561	49
For recess doors (1 pcs.)	Clear	1600562	24
For recess doors (1 pcs.)	Matt black	1603562	24

Cut to suit the relevant enclosure on site

PROFILE 45 DEGREE FOR RECESS SOLUTION For use in angled recess installations



Description	Colour	Art. no.	Price £
Profile (2 pcs.)	Satin	1600506	119
Profile (2 pcs.)	Matt black	1603506	119



This 45 degree profile is used in angled recessed applications. Please note this will increase the overall width by 33mm on each side.

ACCESSORIES - EXTRA

SPACER KITS



Description	Colour	Art. no.	Price £
2 x 6mm door-door and door-fixed shower panel	Chrome	1600628	49
2 x 6mm door-door and door-fixed shower panel	Matt black	1603628	49
2 x 6mm door-door and door-fixed shower panel kit for shower extension profile	Chrome	1600629	49
2 x 6mm door-door and door-fixed shower panel kit for shower extension profile	Matt black	1603629	49

Spacer kits for adjustment of uneven floors

SHOWER EXTENSION PROFILE FOR A, B, E AND WALL PROFILE 1 Exposed pipework can also pass through







Can be combined with A, B and E. It is possible to drill a 20-40mm hole for pipework. Increases the overall size by 20mm.

SHOWER EXTENSION PROFILE FOR C AND D Exposed pipework can also pass through



Description	Colour	Art. no.	Price £
199,5cm for C	Satin	1600525	119
197,5cm for D	Satin	1600526	119
197,5cm for D	Matt black	1603526	119

Can be combined with C and D. It is possible to drill a 20-40mm hole for pipework. Increases the overall size by 20mm.

PRODUCT INFORMATION

MATCH HINGED AND FIXED SHOWER PANELS

All Match hinged doors and fixed shower panels have been tested to comply with EN 14428:2015 in relation to toughening of glass, stability and water tightness classification.

GLASS

6mm hardened safety glass complying with EN12150 with EasyCare treatment on the inside. Clear glass and some models in frosted glass.

PROFILES

Strong aluminimum alloy with hard-wearing satin-anodised or matt black powder-coated surface.

HINGES

Rise and fall hinges that open both inwards and outwards at 180 degrees. The door is held open at 90 degrees either way. Inside the hinge a waterproof seal has been added.

MAGNETIC PROFILES

One removable magnetic profile is supplied with every door and fixed shower panel, that can be combined with profiles across the range. Once the magnet has been activated twice the polarity is set so the two magnetic seals work together. The magnet is located inside a PVC profile, with a matt surface to ensure they do not stick together during prolonged times of little or no use. The angled magnetic catch ensures perfect closure every time. The profile can be fitted in both left and right-hand applications, without the need for tools.

FIXED SHOWER PANEL

The glass panel can be adjusted by 20mm at the wall profile, and is fixed in place with PVC profiles inside the aluminium profile. The floor profile can be adjusted up to 6mm horizontally and using the spacers provided to suit, 12mm vertically. Alternatively, a 12mm adjustable floor bracket can be used for wet room solutions where no seals are required.

DOORS

On models A, B and E the hinge can be adjusted by 20mm at the wall profile for off-square applications. On fixed shower panel models C and D the glass panel is adjusted within the wall profile as it is for fixed shower panels. The floor profile can be adjusted up to 6mm horizontally using the predrilled slot.

HANDLES

Knob style handle in chrome plated or matt black ABS plastic included as standard with all shower doors. Purchase as an extra the longer Flow handle in a zinc alloy - in chrome or matt black.

FITTINGS

Floor brackets and fittings for telescopic support rail and wall support in zinc-aluminium, chrome-plated or matt black powder coated. End caps for profiles and various fittings in chrome-plated or matt black ABS.

TELESCOPIC SUPPORT RAIL

Strong alloy rail with hardwearing, satin-anodised chrome-plated or matt black powder-coated surface with concealed wall fixing bracket. The support rail also has a concealed fixing to the profile and is adjustable from 60 to 100cm.

WALL SUPPORT

Strong alloy wall support with hardwearing, satin-anodised chromeplated or matt black powder-coated surface with fittings in chromeplated zinc aluminum.

SEAL

Clear or matt black PVC seal used with doors at floor level can easily be replaced if required over time. Taller seals can also be purchased separately if required for certain applications.

LEAD-TIME

All Match models are in stock for quick delivery with 1 door/panel in 1 box. All boxes can be handled by one person as they weigh under 30 kg. Accessories like support rails and extra handles are packed separately.

WARRANTY

Dansani offers 10 years warranty against manufacturing defects on all Match models.

Exclusive, very strong and durable shower trays are available as optional extras for certain models.


For more detail please refer to dansani.co.uk

UNCOMPLICATED & EXPERTLY DESIGNED


INSTALLATION

It is likely, that the wall in your bathroom is not completely plumb. Maybe it has small deviations. Maybe it is slightly angled. However we don't think that this should cause the installation of your shower enclosure to present problems. Therefore, Dansani Shower is designed with a number of technical features that make it easy for the installer to fit your new Dansani Shower solution, even on very irregular surfaces. With plenty of adjustment options, you are certain to get a perfect result, irrespective of the solution you choose.

MEASURING




CORNER



RECESS

Irrespective of whether the wall angles in or out, the adjustment becomes the difference between the minimum and maximum measurements. Use a plumbline to determine the difference along the height of the screen. Before ordering, always check that these measurements correspond to the min./max. measurements of the selected model. Please see the price list.




BE FLEXIBLE WITH

MATCH

Get an overview of the size options for corner solutions, recessed solutions and fixed shower panels. The hinge on all doors can be adjusted by 20mm and the same applies to wall profile 1. In addition a choice of profiles provides more width adjustment options.


MEASUREMENTS READING GUIDE



CORNER SOLUTIONS


MODEL A

Hinged door




MODEL B

Bifold door




MODEL C

Hinged door with in-line panel




MODEL E

Quadrant hinged door



MODEL A AND D

90° hinged door with fixed shower panel




TOWER STORAGE UNIT

The practical Tower storage unit can be combined with most of the doors or panels to create many different solutions. Simply select the door or panel model that is 10cm narrower than your installation measurements.

RECESS SOLUTIONS


MODEL A

Hinged door




MODEL A AND D

Hinged door with fixed shower panel




MODEL B

Bifold door



MODEL C


Hinged door with in-line panel



FIXED SHOWER PANELS


MODEL D

Fixed shower panel



MODEL H

Bath panel with hinged door



Easy to install with two people.

*

Designed for installation on a horizontal surface, floor, or shower base.

out to make cleaning easier.





DANSANI XXL

38 INSPIRATION

48 PRICE LIST

50 PRODUCT INFORMATION

51 DIMENSIONS

52 SHOWER TRAY



CLASSIC DESIGN & ROBUST QUALITY

CLASSIC MODEL

Classic offers robust quality at a competitive price. This model is perfect for you if you'd like a classic design with a discreet and simple look. The solid runners on the sliding door run inside the profile rail so they aren't visible from the outside of the door. A classic and simple solution.








SILENT & ELEGANT DESIGN

DELUXE MODEL

Deluxe offers a particularly stable and silent solution with elegant design. The sliding door features two runners placed on a rail above and beneath the profile to ensure a soft and smooth action. The door stops gently against the deluxe SoftStop. Enjoy the feeling of pure luxury and quality.











«

The doors can be easily clipped out at the bottom for easier cleaning.

>>

For the freestanding shower solution with two fixed shower panels, two support rails are supplied.



CLASSIC

CLASSIC SLIDING DOOR Reversible



Dimensions

Min/max adjustment

Art. no.	Price £
CL1200-0001	972
Y: 116 5 - 119cm	

MODEL 120 CM

MODEL 140 CM

Price £ Art. no. CL1400-0001 1,040.-X: 136,5 - 139cm

MODEL 160 CM

Art. no.	Price £
CL1600-0001	1,186
X: 156,5 - 159cm	

CLASSIC SLIDING DOOR WITH 1 FIXED SHOWER PANEL

Reversible



Dimensions	Art. no.
80cm	CL1201-08
Min/max adjustment	X: 116,5 - 11
90cm	CL1201-09
Min/max adjustment	X: 116,5 - 11
100cm	CI 1201-100
Min/max adjustment	X: 116,5 - 11

Art. no.	Price £
CL1201-0800	1,429
X: 116,5 - 119cm	x Y: 76,5 - 79cm
CL1201-0900 X: 116,5 - 119cm	1,429 x Y: 86,5 - 89cm
CL1201-1000 X: 116,5 - 119cm	1,429 x Y: 96,5 - 99cm

Art. no.			Price £
CL1401-0800			1,494
X: 136,5 - 139cm	х	Y: 76,5 -	79cm
CL1401-0900			1,494
X: 136,5 - 139cm	х	Y: 86,5 -	89cm
CL1401-1000			1,494
X: 136,5 - 139cm	х	Y: 96,5 -	99cm

Art. no.	Price £
CL1601-0800	1,643
X: 156,5 - 159cm x Y: 76,5 -	- 79cm
CL1601-0900	1,643
X: 156,5 - 159cm x Y: 86,5	- 89cm
CL4504 4000	4.647
CL1601-1000	1,643
X: 156,5 - 159cm x Y: 96,5	- 99cm

CLASSIC SLIDING DOOR WITH 2 FIXED SHOWER PANELS

Dimensions



80cm
Min/max adjustment
Incl. 2 pcs. 45cm support rails
90cm
Min/max adjustment
Incl. 2 pcs. 45cm
support rails
support rails
support rails
support rails 100cm

Art. no.		Price £
CL1202-0800		2,135
X: 116,5 - 119cm	x	Y: 76,5 - 79cm
CL1202-0900 X: 116,5 - 119cm	х	2,135 Y: 86,5 - 89cm
CL1202-1000 X: 116,5 - 119cm	х	2,135 Y: 96,5 - 99cm

Art. no.		Price £
CL1402-0800		2,203
X: 136,5 - 139cm	х	Y: 76,5 - 79cm
CL1402-0900		2,203
X: 136,5 - 139cm	х	Y: 86,5 - 89cm
CL1402-1000		2,203
X: 136,5 - 139cm	х	Y: 96,5 - 99cm

Art. no.			Price £
CL1602-0800			2,349
X: 156,5 - 159cm	х	Y: 76,5 -	79cm
CL1602-0900 X: 156,5 - 159cm	х	Y: 86,5 -	2,349 89cm
CL1602-1000 X: 156,5 - 159cm	x	Y: 96,5 -	2,349 99cm

ADD-ON

SHOWER EXTENSION PROFILE



Increases the installation size by 30mm

Price £
83

Art. no.	Price £
1600700	83

Art. no.	Price £
1600700	83

DELUXE

DELUXE SLIDING DOORReversible



D :	 _	-	:~	ns

Min/max adjustment

Art. no.	Price £
DL1200-0001	1,068
X: 116,5 - 119cm	

MODEL 120 CM

MODEL 140 CM

Price £ Art. no. DL1400-0001 1,186.-X: 136,5 - 139cm

MODEL 160 CM

Art. no.	Price £
DL1600-0001	1,336
X: 156,5 - 159cm	

DELUXE SLIDING DOOR WITH 1 FIXED SHOWER PANEL

Reversible



Dimensions
80cm
Min/max adjustment
90cm Min/max adjustment
100cm Min/max adjustment

Art. no.	Price £
DL1201-0800	1,525
X: 116,5 - 119cm	x Y: 76,5 - 79cm
DL1201-0900	1,525
X: 116,5 - 119cm	x Y: 86,5 - 89cm
DL1201-1000	1,525
X: 116,5 - 119cm	x Y: 96,5 - 99cm

Art. no.	Price £
DL1401-0800	1,643
X: 136,5 - 139cm	x Y: 76,5 - 79cm
DL1401-0900	1,643
X: 136,5 - 139cm	x Y: 86,5 - 89cm
DL1401-1000	1,643
X: 136,5 - 139cm	x Y: 96,5 - 99cm

Art. no.		Price £
DL1601-0800		1,792
X: 156,5 - 159cm	x Y: 76,5	- 79cm
DL1601-0900 X: 156,5 - 159cm	x Y: 86,5	1,792 - 89cm
DL1601-1000 X: 156,5 - 159cm	x Y: 96,5	1,792 - 99cm

DELUXE SLIDING DOOR WITH 2 FIXED SHOWER PANELS

Dimensions



80cm
Min/max adjustment
Incl. 2 pcs. 45cm support rails
90cm
Min/max adjustment
1
Incl. 2 pcs. 45cm support rails
support rails
support rails
support rails 100cm

Art. no.			Price £
DL1202-0800			2,230
X: 116,5 - 119cm	х	Y: 76,5 -	79cm
DL1202-0900			2,230
X: 116,5 - 119cm	х	Y: 86,5 -	89cm
DL1202-1000			2,230
X: 116,5 - 119cm	х	Y: 96,5 -	99cm

Art. no.	Price £
DL1402-0800	2,349
X: 136,5 - 139cm	x Y: 76,5 - 79cm
DL1402-0900 X: 136,5 - 139cm	2,349 x Y: 86,5 - 89cm
DL1402-1000 X: 136,5 - 139cm	2,349 x Y: 96,5 - 99cm

Art. no.			Price £
DL1602-0800			2,499
X: 156,5 - 159cm	Х	Y: 76,5 -	79cm
DI 1602-0900			2.499
X: 156.5 - 159cm	~	V: 86.5 -	
X. 130,3 133CIII	^	1.00,5	OSCIII
DL1602-1000			2.499
X: 156,5 - 159cm	Х	Y: 96,5 -	99cm

ADD-ON

SHOWER EXTENSION PROFILE



Increases the installation size by 30mm

Art. no.	Price £
1600700	83

Art. no.	Price £
1600700	83

Art. no.	Price £
1600700	83

DIMENSIONS & PRODUCT INFORMATION

CLASSIC MODEL AND DELUXE

All Dansani sliding doors and fixed shower panels have been tested and comply with regulations EN 14428:2015 in relation to toughening of glass, stability and water proofing classification.

All models are reversible and can be used in both left and right hand applications without the need for tools or modifications.

All models are designed for installation on a horizontal surface, floor, or shower base.

The floor profile can accommodate up to 3 mm of floor unevenness, but in this case, support must be provided at 6 support points so that the support lies in a straight line (see installation instructions M1255 + M1256)

GLASS

8mm safety glass according to EN12150 regulations with easy care treatment on the inside. Available in clear glass.

PROFILES

Strong aluminum profile in satin anodized finish. Wall profiles are adjustable.

HANDLES

Shower door handle in stainless steel.

FITTINGS

Wall bracket and brackets for wall support are in chromed zincaluminium. Cover caps in chromed ABS.

INSTALLATION

Perfect installation even on off square walls due to the adjustment options.

CLASSIC MODEL - RUNNERS

Brass with polished chrome finish. The runners are not visible from the outside.

DELUXE MODEL - RUNNERS

The runners are produced in zinc alloy. The fittings for the top bar are made in brass with a refined polished chrome finish.

SUPPORT RAIL

Polished stainless steel with cover caps in chromed ABS. For enclosures with 2 fixed shower panels, 2 wall supports are supplied as standard.

SPARE PARTS


For spare parts please get in touch with your Dansani retailer.

WARRANTY

Dansani offers a 10 year warranty against manufacturing defects on all models.


CLASSIC

Sliding door (reversible)




CLASSIC

Sliding door with 1 fixed shower panel (reversible)




CLASSIC

Sliding door with 2 fixed shower panels (reversible)




DELUXE

Sliding door (reversible)




DELUXE

Sliding door with 1 fixed shower panel (reversible)



DELUXE

Sliding door with 2 fixed shower panels (reversible)



SHOWER TRAYS

SLIM AND SIMPLE SHOWER TRAY WITH A HEIGHT OF ONLY 35MM

Dansani shower trays are manufactured from a fibre-reinforced composite material, which is subjected to a pressure of 2,000 tons and temperatures of up to 190 degrees during production. This process ensures a very uniform, strong and solid product, which is very light in comparison with other solutions.

Height adjustable legs come with all shower bases with fronts.

The waste pipe is horizontal, DN50, 90mm with a waste capacity of 30 l/min. and a height of 86mm.



INSTALLATION OPTIONS




If you want the shower tray to be raised above the floor to allow the waste, for example, to be run back across the floor, Dansani offers a kit to facilitate this type of installation. The kit comprises a number of adjustable feet, which are easily "clicked" on to the base and ensure stable installation, even on uneven floors. In addition, the kit comprises a front panel (plinth) in a fibre-reinforced material, height 100mm, which is fitted with small clips and makes it easy to remove when cleaning or checking the installation.



If you want the shower tray fitted directly on the floor, stricter requirements are made on the waste and, sealing in to the floor.

SHOWER TRAYS

RECTANGULAR



Dimensions	Art. no.	Price £
WITHOUT PLINTH		
80cm	1610300	546
90cm	1610320	546
WITH PLINTH		
WIITPLINIT		
80cm	1611300	779
90cm	1611320	779

120CM

Height adjustable without plinth: From 130mm - 152mm
Total height with plinth 135mm.
Height of plinth: 100mm.
Inside denth: 5mm - 20mm


140CM		
Art. no.	Price £	
1610310	546	
1610330	546	
1611310	779	
1011310	//9	
1611330	779	

160CM		
Art. no.		Price £
-		-
1610340		546
_		_
1611340		779
1011340		113

WASTEKIT FOR SHOWER TRAY



	Colour	Dimensions	Description	Art. no.	Price £
2	Chrome	Ø90mm	For 40mm waste incl. adapter for 43cm	1600004	46
2	Chrome	Ø90mm	For 40mm waste incl. adapter for 50cm	1600023	46









WE TAKE RESPONSIBILITY

SUSTAINABILITY IN EVERY WAY

Dansani takes responsibility and takes good care of our surroundings. We are energy- and consumption-conscious and have always been so - it is part of our DNA. We have dedicated resources when it comes to sustainability initiatives, and we work very closely with our suppliers and are in control of all components that make up our furniture.

Our basis are the 17 UN sustainable development goals.

That means that we generally:

- Develop our products so that their environmental impact in terms of manufacture, usage and, not least, disposal is minimised.
- Use raw materials, water and energy efficiently to reduce the environmental impact.
- · Maintain high safety standards for our employees and promote responsible approaches to the environment.

MORE SPECIFICALLY

So what specifically do we do to enable you to make the most sustainable choices? We generally exclusively focus on solutions that also meet our high quality standards - because long durability is an important element in a sustainable product. We therefore have 10-year warranties on all shower solutions. Obviously, it is also possible to repair or switch individual components which may further extend the life of the shower. It could be a PVC seal or a magnet.

Let's take a look at the materials used in Dansani shower solutions. For the Match shower, we use a quality 6mm safety glass that has been treated with the tough and environmentally friendly EasyCare. For large XXL shower solutions, we use a safety glass of 8mm thickness. Thick glass will last for many years, and our glass has also been tested and meets the EN 14428:2015 & EN12150 requirements that relate to stability and toughening.

And then there are the profiles in both shower series. They are a strong aluminum alloy, and is produced using 25% recycled aluminum. It has an incredibly long life as well as functionality and design benefits, and the recycling properties are nearly endless.

PACKAGING

We are in the process of making our packaging more environmentally friendly for you as a consumer. We have been gradually replacing styrofoam with recyclable cell cardboard in our packaging. At the same time, we have reduced the amount of plastic in the packaging of mirrors and shower enclosures. You will start to see these positive changes from the year 2024 onwards. In this way, we are actively working to create a better future for both you and the environment.



Dansani is committed to supporting the UN's global goals. For more detail please visit dansani.co.uk



We're constantly introducing new initiatives - stay tuned here.

IF SOMETHING IS WORTH DOING, IT'S WORTH DOING WELL

At Dansani this is our motto. Since our foundation in 1983 it has always been that way and that's how it will continue in the future. We are bathroom enthusiasts through and through and we want to make the bathroom the best room in the house. Therefore our mission is simple - to develop and produce beautiful and well thought out bathroom concepts that create joy in everyday life.

DANISH DESIGN

Danish design is about putting people at the core of the process – Danish design makes everyday life easier, and it's beautiful and simple to look at. For Dansani, it is the embodiment of our designs. It must be good on the eye, it must work effortlessly and it should feel like coming home.

40 YEARS OF QUALITY CRAFTSMANSHIP

Our craftsmanship is managed in our production facilities in Denmark. We have skilled people with respect for the materials they use and with many years of experience. They engage fully with the products and continuously optimise the processes involved while delivering high quality work every single day is part of their DNA. They do it exactly so that we are absolutely sure of the quality of what we put our logo on.

ENVIRONMENT & SUSTAINABILITY

We have always categorised all waste and been energy conscious at Dansani, and when it comes to our furniture, we make demands on ourselves and on our suppliers. Wood components must be traceable and we keep a keen eye on the proportion of recycled material and not least the energy used in the production of our products. We are honest about the materials we work with and we want to pass on as much information as possible to you as a customer. Read more on our website.



Dansani Ltd 7 Mermaid Walk The Waterfront Brighton Marina East Sussex BN2 5WA GB T. 0208 15 76 069 mail@dansani.co.uk





